
Assembly instructions

Table in oak - assembly in 8 steps

Read through the entire guide before you start.



Before you begin

Find a free space

Work on a level floor with space all around the table.

Lay out a blanket

Protects both the floor and the surfaces of the table from scratches.

Unzip and sort

Lay out all the parts and compare with the parts list on the next page.

Be two about it

The tabletop is long. A helper makes the large parts easier to control.



Parts and assembly

It's in the package

- A - Trestles (2 pcs.)
- B - Side beams (2 pcs.)
- C - Spacer for trestles (1 pc.)
- D - Oblique braces (1 pc.)
- E - Slats for the table top (roll)
- F - Bags for storage

Check all parts before starting. If something is missing, contact the dealer instead of partially assembling the table.

No tools needed

The table is assembled completely without tools, glue and screws. The parts hold each other in place.




Assembly steps 1-2



1

Unpack the slatted roller

Remove the slatted roller from the bag and leave the straps around the slats until the worktop is to be put on.



2

Put the long parts out

Place the side rails and spacer next to each other so that you can see the cutouts at the ends.

Assembly steps 3-4



3

Find the two bucks

Lay the two trestles flat with the top holes facing each other. They form the legs of the table.



4

Raise the goats

Line up the trestles facing each other and hold them while the side rails are put in place.

Assembly steps 5-6



5

Connect with spacer and slanting brace

Insert the spacer into the bottom and place the slanting brace down in place. The frame is now stable - check that it does not tilt.



6

Put the slatted roller in place

Place the roll of slats on top of the frame while the straps are still attached. Then the distance between the slats will be uniform.

Assembly steps 7-8



7

Roll out the slats

Roll out the slats over the frame and adjust the individual slats at each end so that it locks in place.



8

The table is ready for use

Look over the plate - all slats must be at the same height. The table is now assembled and ready for use.

Maintenance and storage

Wipe with a damp cloth

Use water and possibly a little mild soap. Avoid harsh cleaning agents.

Treat the tree once a year

Sand lightly and give the table oil or soap so that the oak retains its colour.

Store the table in a dry place

The table can be disassembled and laid flat. Put the parts in their bags and store them dry and frost-free.



Contact, spare parts and warranty



Contact the dealer

Write or call your dealer. Have your order number ready.

Spare parts

Missing or damaged parts will be replaced. Please state the letter of the part from the parts list when ordering.

Warranty

There is a right of complaint for material and manufacturing defects. Normal wear and tear is not covered.

